

REFERENCES

General TITAN2D information:

Pitman, E.B., Patra, A., Bauer, A., Nichita, C., Sheridan, M.F., Bursik, M., 2003. Computing debris flows. *Physics of Fluids* 15, 3638–3646.

Patra, A.K., Bauer, A.C., Nichita, C.C., Pitman, E.B., Sheridan, M.F., Bursik, M., Rupp, B., Webber, A., Stinton, A.J., Namikawa, L.M., Renschler, C.S., 2005. Parallel adaptive simulation of dry avalanches over natural terrain. *Journal of Volcanology and Geothermal Research* 139, 1–22.

TITAN2D and DEMs:

Stefanescu, E.R., Bursik, M.I., Cordoba, G., Patra, A.K., Pieri, D.C., and Sheridan, M.F. 2010. Impact of DEM uncertainty on TITAN2D flow model output, Galeras Volcano, Columbia. International Environmental Modelling and Software Society 2010 International Congress on Environmental Modelling and Software Modelling for Environment's Sake, Fifth Biennial Meeting, Ottawa, Canada

Stefanescu, E. R., M. Bursik, and A. Patra. 2010. Effect of digital elevation model on geophysical flow model output. *Natural Hazards*.

Stefanescu, E., M. Bursik, K. Dalbey, M. Jones, A. Patra, and E. Pitman. 2010. DEM uncertainty and hazard analysis using a geophysical flow model. Submitted to International Congress on Environmental Modelling and Software, 2010.

Sheridan, M., A. Patra, K. Dalbey, and B. Hubbard. 2010. Probabilistic digital hazard maps for avalanches and massive pyroclastic flows using TITAN2D. in Groppelli, G., and Viereck-Goette, L., eds., *Stratigraphy and Geology of Volcanic Areas: Geological Society of America Special Paper*, 464

TITAN2D and Probabilistic Hazard Mapping:

Bayarri, M.J., Berger, J.O., Calder, E.S., Dalbey, K., Lunagomez, S., Patra, A.K., Pitman, E.B., Spiller, E.T., Wolpert, R.L. 2009. Using Statistical and Computer Models to Quantify Volcanic Hazards. *Technometrics* 51: 402-413

Pyroclastic Flows:

Galeras Volcano, Columbia

Stefanescu, E.R., Bursik, M.I., Cordoba, G., Patra, A.K., Pieri, D.C., and Sheridan, M.F. 2010. Impact of DEM uncertainty on TITAN2D flow model output, Galeras Volcano, Columbia

Arenal, Costa Rica

Berrocal, M., Malavassi, E., 2006. TITAN2D models of Arenal pyroclastic flows. *Cities on Volcanoes 4 Conference*, Quito, Ecuador.

Mount Taranaki, New Zealand

Procter, J., Cronin, S., Patra, A., Dalbey, K., Sheridan, M., Platz, T., 2004a. Utilising TITAN2D to Forecast Dome-collapse Block-and-ash flow (bafs) Hazards from Mount Taranaki – New Zealand. IAVCEI General Assembly, Pucón, Chile.

Colima, Mexico

Bursik, M., Patra, A., Pitman, E.B., Nichita, C., Macías, J.L., Saucedo, R., Girina, O., 2005. Advances in studies of dense volcanic granular flows. Reports on Progress in Physics 68 (2), 271–301.

Rupp, B., Bursik, M., Namikawa, L., Webb, A., Patra, A.K., Saucedo, R., Macías, J.L., Renschler, C., 2006. Computational modeling of the 1991 block and ash flows at Colima Volcano, México. In: Siebe, C., Macías, J.L., Aguirre-Díaz, G.J. (Eds.), Neogene-Quaternary Continental Margin Volcanism: A Perspective from México. Geological Society of America Special Paper 402. Penrose Conference Series, pp. 237–252.

Patra, A.K., Bauer, A.C., Nichita, C.C., Pitman, E.B., Sheridan, M.F., Bursik, M., Rupp, B., Webber, A., Stinton, A.J., Namikawa, L.M., Renschler, C.S., 2005. Parallel adaptive simulation of dry avalanches over natural terrain. Journal of Volcanology and Geothermal Research 139, 1–22.

Soufrière Hills Volcano

Hidayat, D., Widiwijayanti, C., Voight, B., Patra, A., Pitman, B., 2008. TITAN2D Based Modeling of Dome-collapse Pyroclastic Flows for Crisis Assessments on Montserrat. IAVCEI General Assembly, Reykjavik, Iceland.

Ogburn, S., Calder, E., Dalbey, K., Ryan, G., 2008. Modeling Pyroclastic Flow Hazards in the Belham Valley, Soufrière Hills Volcano, Montserrat. IAVCEI General Assembly, Reykjavik, Iceland.

Widiwijayanti, C., Hidayat, D., Voight, B., Patra, A., Pitman, E.B., 2007. Modelling dome-collapse pyroclastic flows for crisis assessments on Montserrat with TITAN2D. Cities on Volcanoes 5 Conference, Shimabara, Japón, 11-P-34.

SAC. 2007. Eight Report of the Scientific Advisory Committee on Montserrat Volcanic Activity.

Tacana Volcanic Complex, Mexico

Murcia, H.F., 2008. Depósitos de lahar del Complejo Volcánico Tacaná y depósitos fluviales en el abanico de Tapachula, Chiapas, México. MSc Thesis, Universidad Nacional Autónoma de México, México D.F., 153p.

El Chichon Volcano, Mexico

Macias, J.L., Capra, L., Scott, K.M., Espindola, J.M., Garcia-Palomo, A., Costa, J.E., 2004. The 26 May 1982 breakout flows derived from failure of a volcanic dam at El Chichón, Chiapas, México. Geological Society of America Bulletin 116, 233–246.

Cerro Machín Volcano, Columbia

Murcia, H.F., Sheridan, M.F., Macías, J.L., 2008b. TITAN2D Pyroclastic Flows Simulations at Cerro Machín Volcano – Colombia. IAVCEI General Assembly, Reykjavik, Iceland.

Murcia, H.F., Sheridan, M.F., Macías, J.L., Cortes, G.P. 2010. TITAN2D simulations of pyroclastic flows at Cerro Machin Volcano, Columbia: Hazard implications. *Journal of South Americal Earth Sciences* 29, 161-170

Tungurahua Volcano, Ecuador

Stinton, A.J., 2008. Using Field Mapping, GIS and Computer Flow Modelling to Understand Volcanic Flow Hazards. IAVCEI General Assembly, Reykjavik, Iceland.

Merapi, Java

Charbonnier, S.J., Gertisser, R., 2009. Numerical simulations of block-and-ash flows using the Titan2D flow model: examples from the 2006 eruption of Merapi Volcano, Java, Indonesia. *Bulletin of Volcanology* 71, 953–959.

Debris Avalanches:

Mount Rainier, USA

Sheridan, M.F., Stinton, A.J., Patra, A., Pitman, E.B., Bauer, A., Nichita, C.C., 2005. Evaluating Titan2D mass-flow model using the 1963 Little Tahoma Peak avalanches, Mount Rainier, Washington. *Journal of Volcanology and Geothermal Research* 139, 89–102.

Nevado de Toluca Volcano

Grieco, F., Capra, L., Groppelli, G., Norini, G., 2007. TI: Numerical Modeling of Debris Avalanches at Nevado de Toluca (México): Implications for Hazard Evaluation and Mapping. AGU Joint Assembly, Acapulco, México.

Jocotitlan Volcano, Mexico

Groppelli, G., Capra, L., Norini, G., Savi, S., 2008. Volcanic Collapse at Jocotitlan Volcano (México): Analogue Modeling and Flow Simulation. IAVCEI General Assembly, Reykjavik, Iceland.

Lahars:

Popocatepetl Volcano, Mexico

Muñoz, E., Palacios, D., Namikawa, L., Sheridan, M., Renschler, C., 2004. Contrast between computer simulations and field observations of Popocatépetl lahars. *Geophysical Research Abstracts* 6, 04599. European Geosciences Union.

Misti Volcano, Peru

Delaite, G., Stinton, A.J., Sheridan, M.F., Thouret, J.C., Burkett, B., 2004. A comparison of the TITAN2D and LAHARZ simulated debris flow hazards at El Misti Volcano, Southern Peru. *Geophysical Research Abstracts* 6, 01099.

Ruapehu Volcano, New Zealand

Procter, J., Cronin, S., Sheridan, M., Patra, A., 2004b. Application of Titan2d Massflow Modelling to Assessing Hazards from a Potential Lake-breakout Lahar at Ruapehu Volcano, New Zealand. IAVCEI General Assembly, Pucón, Chile.

Tacana Volcano Complex, Mexico

Murcia, H.F., 2008. Depósitos de lahar del Complejo Volcánico Tacaná y depósitos fluviales en el abanico de Tapachula, Chiapas, México. MSc Thesis, Universidad Nacional Autónoma de México, México D.F., 153p.

Soufriere Hills Volcano, Montserrat

Darnell, A., Barclay, J., Herd, R., Lovett, A., 2008. Hydrological Flow-routing vs. Existing Lahar Models for Mapping Hyperconcentrated Lahar Extent. IAVCEI General Assembly, Reykjavik, Iceland.